

The Complexity of Partial-observation Stochastic Parity Games With Finite-memory Strategies*

Krishnendu Chatterjee[†] Laurent Doyen[§] Sumit Nain[‡] Moshe Y. Vardi[‡]
[†] IST Austria
[§] CNRS, LSV, ENS Cachan
[‡] Rice University, USA

Abstract

We consider two-player partial-observation stochastic games on finite-state graphs where player 1 has partial observation and player 2 has perfect observation. The winning condition we study are ω -regular conditions specified as parity objectives. The qualitative-analysis problem given a partial-observation stochastic game and a parity objective asks whether there is a strategy to ensure that the objective is satisfied with probability 1 (resp. positive probability). These qualitative-analysis problems are known to be undecidable. However in many applications the relevant question is the existence of finite-memory strategies, and the qualitative-analysis problems under finite-memory strategies was recently shown to be decidable in 2EXPTIME. We improve the complexity and show that the qualitative-analysis problems for partial-observation stochastic parity games under finite-memory strategies are EXPTIME-complete; and also establish optimal (exponential) memory bounds for finite-memory strategies required for qualitative analysis.

1 Introduction

Games on graphs. Two-player stochastic games on finite graphs played for infinite rounds is central in many areas of computer science as they provide a natural setting to model nondeterminism and reactivity in the presence of randomness. In particular, infinite-duration games with omega-regular objectives are a fundamental tool in the analysis of many aspects of reactive systems such as modeling, verification, refinement, and synthesis [1, 17]. For example, the standard approach to the synthesis problem for reactive systems reduces the problem to finding the winning strategy of a suitable game [23]. The most common approach to games assumes a setting with perfect information, where both players have complete knowledge of the state of the game. In many settings, however, the assumption of perfect information is not valid and it is natural to allow an information asymmetry between the players, such as, controllers with noisy sensors and software modules that expose partial interfaces [24].

Partial-observation stochastic games. Partial-observation stochastic games are played between two players (player 1 and player 2) on a graph with finite state space. The game is played for infinitely many rounds where in each round either player 1 chooses a move or player 2 chooses a move, and the successor state is determined by a probabilistic transition function. Player 1 has partial observation where the state space is partitioned according to observations that she can observe i.e., given the current state, the player can only view the observation of the state (the partition the state belongs to), but not the precise state. Player 2, the adversary to player 1, has perfect observation and can observe the precise state.

*This research was supported by Austrian Science Fund (FWF) Grant No P23499- N23, FWF NFN Grant No S11407-N23 (RiSE), ERC Start grant (279307: Graph Games), Microsoft Faculty Fellowship Award, NSF grants CNS 1049862 and CCF-1139011, by NSF Expeditions in Computing project "ExCAPE: Expeditions in Computer Augmented Program Engineering", by BSF grant 9800096, and by gift from Intel.

The class of ω -regular objectives. An objective specifies the desired set of behaviors (or paths) for player 1. In verification and control of stochastic systems an objective is typically an ω -regular set of paths. The class of ω -regular languages extends classical regular languages to infinite strings, and provides a robust specification language to express all commonly used specifications [25]. In a parity objective, every state of the game is mapped to a non-negative integer priority and the goal is to ensure that the minimum priority visited infinitely often is even. Parity objectives are a canonical way to define such ω -regular specifications. Thus partial-observation stochastic games with parity objective provide a general framework for analysis of stochastic reactive systems.

Qualitative and quantitative analysis. Given a partial-observation stochastic game with a parity objective and a start state, the *qualitative-analysis* problem asks whether the objective can be ensured with probability 1 (*almost-sure winning*) or positive probability (*positive winning*); whereas the more general *quantitative-analysis* problem asks whether the objective can be satisfied with probability at least λ for a given threshold $\lambda \in (0, 1)$.

Previous results. The quantitative analysis problem for partial-observation stochastic games with parity objectives is undecidable, even for the very special case of probabilistic automata with reachability objectives [22]. The qualitative-analysis problems for partial-observation stochastic games with parity objectives are also undecidable [2], even for probabilistic automata. In many practical applications, however, the more relevant question is the existence of finite-memory strategies. The quantitative analysis problem remains undecidable for finite-memory strategies, even for probabilistic automata [22]. The qualitative-analysis problems for partial-observation stochastic parity games were shown to be decidable with 2EXPTIME complexity for finite-memory strategies [21]; and the exact complexity of the problems was open which we settle in this work.

Our contributions. Our contributions are as follows: for the qualitative-analysis problems for partial-observation stochastic parity games under finite-memory strategies we show that (i) the problems are EXPTIME-complete; and (ii) if there is a finite-memory almost-sure (resp. positive) winning strategy, then there is a strategy that uses at most exponential memory (matching the exponential lower bound known for the simpler case of reachability and safety objectives). Thus we establish both optimal computational and strategy complexity results. Moreover, once a finite-memory strategy is fixed for player 1, we obtain a finite-state perfect-information Markov decision process (MDP) for player 2 where finite-memory is as powerful as infinite-memory [13]. Thus our results apply to both cases where player 2 has infinite-memory or restricted to finite-memory strategies.

Technical contribution. The 2EXPTIME upper bound of [21] is achieved via a reduction to the emptiness problem of alternating parity tree automata. The reduction of [21] to alternating tree automata is exponential as it requires enumeration of the end components and recurrent classes that can arise after fixing strategies. We present a polynomial reduction, which is achieved in two steps. The first step is as follows: a *local gadget-based* reduction (that transforms every probabilistic state to a local gadget of deterministic states) for perfect-observation stochastic games to perfect-observation deterministic games for parity objectives was presented in [12, 6]. This gadget, however, requires perfect observation for both players. We extend this reduction and present a local gadget-based polynomial reduction of partial-observation stochastic games to three-player partial-observation deterministic games, where player 1 has partial observation, the other two players have perfect observation, and player 3 is helpful to player 1. The crux of the proof is to show that the local reduction allows to infer properties about recurrent classes and end components (which are global properties). In the second step we present a polynomial reduction of the three-player games problem to the emptiness problem of alternating tree automata. We also remark that the new model of three-player games we introduce for the intermediate step of the reduction maybe also of independent interest for modeling of other applications.

Related works. The undecidability of the qualitative-analysis problem for partial-observation stochastic parity games with infinite-memory strategies follows from [2]. For partially observable Markov decision processes (POMDPs), which is a special case of partial-observation stochastic games where player 2 does not have any choices, the qualitative-analysis problem for parity objectives with finite-memory strategies was shown to be EXPTIME-complete [7]. For partial-observation stochastic games the almost-sure winning problem was shown

to be EXPTIME-complete for Büchi objectives (both for finite-memory and infinite-memory strategies) [11, 8]. Finally, for partial-observation stochastic parity games the almost-sure winning problem under finite-memory strategies was shown to be decidable in 2EXPTIME in [21].

Summary and discussion. The results for the qualitative analysis of various models of partial-observation stochastic parity games with finite-memory strategies for player 1 is summarized in Table 1. We explain the results of the table. The results of the first row follows from [7] and the results for the second row are the results of our contributions. In the most general case both players have partial observation [3]. If we consider partial-observation stochastic games where both players have partial observation, then the results of the table are derived as follows: (a) If we consider infinite-memory strategies for player 2, then the problem remains undecidable as when player 1 is non-existent we obtain POMDPs as a special case. The non-elementary lower bound follows from the results of [8] where the lower bound was shown for reachability objectives where finite-memory strategies suffice for player 1 (against both finite and infinite-memory strategies for player 2). (b) If we consider finite-memory strategies for player 2, then the decidability of the problem is open, but we obtain the non-elementary lower bound on memory from the results of [8] for reachability objectives.

| Game Models | Complexity | Memory bounds |
|--|-------------------------|-------------------------------------|
| POMDPs | EXPTIME-complete [7] | Exponential [7] |
| Player 1 partial and player 2 perfect (finite- or infinite-memory for player 2) | EXPTIME-complete | Exponential |
| Both players partial infinite-memory for player 2 | Undecidable [2] | Non-elementary [8] (Lower bound) |
| Both players partial finite-memory for player 2 | Open (??) | Non-elementary [8] (Lower bound) |

Table 1: Complexity and memory bounds for qualitative analysis of partial-observation stochastic parity games with finite-memory strategies for player 1. The new results are boldfaced.

2 Partial-observation Stochastic Parity Games

We consider partial-observation stochastic parity games where player 1 has partial observation and player 2 has perfect observation. We consider parity objectives, and for almost-sure winning under finite-memory strategies for player 1 present a polynomial reduction to sure winning in three-player parity games where player 1 has partial observation, player 3 has perfect observation and is helpful towards player 1, and player 2 has perfect observation and is adversarial to player 1. A similar reduction also works for positive winning. We then show how to solve the sure-winning problem for three-player games using alternating parity tree automata. Thus the steps are as follows:

1. Reduction of partial-observation stochastic parity games for almost-sure winning with finite-memory strategies to three-player parity games sure-winning problem (with player 1 partial, other two perfect, player 1 and player 3 existential, and player 2 adversarial).
2. Solving the sure winning problem for three-player parity games using alternating parity tree automata.

In this section we present the details of the first step. The second step is given in the following section.

2.1 Basic definitions We start with basic definitions related to partial-observation stochastic parity games.

Partial-observation stochastic games. We consider slightly different notation (though equivalent) to the classical definitions, but the slightly different notation helps for more elegant and explicit reduction. We consider partial-

observation stochastic games as a tuple $G = (S_1, S_2, S_P, A_1, \delta, E, \mathcal{O}, \text{obs})$ as follows: $S = S_1 \cup S_2 \cup S_P$ is the state space partitioned into player-1 states (S_1), player-2 states (S_2), and probabilistic states (S_P); and A_1 is a finite set of actions for player 1. Since player 2 has perfect observation, she chooses edges instead of actions. The transition function is as follows: $\delta : S_1 \times A_1 \rightarrow S_2$ that given a player-1 state in S_1 and an action in A_1 gives the next state in S_2 (which belongs to player 2); and $\delta : S_P \rightarrow \mathcal{D}(S_1)$ given a probabilistic state gives the probability distribution over the set of player-1 states. The set of edges is as follows: $E = \{(s, t) \mid s \in S_P, t \in S_1, \delta(s)(t) > 0\} \cup E'$, where $E' \subseteq S_2 \times S_P$. The observation set \mathcal{O} and observation mapping obs are standard, i.e., $\text{obs} : S \rightarrow \mathcal{O}$. Note that player 1 plays after every three steps (every move of player 1 is followed by a move of player 2, then a probabilistic choice). In other words, first player 1 chooses an action, then player 2 chooses an edge, and then there is a probability distribution over states where player 1 again chooses and so on.

Three-player non-stochastic turn-based games. We consider three-player partial-observation (non-stochastic turn-based) games as a tuple $G = (S_1, S_2, S_3, A_1, \delta, E, \mathcal{O}, \text{obs})$ as follows: S is the state space partitioned into player-1 states (S_1), player-2 states (S_2), and player-3 states (S_3); and A_1 is a finite set of actions for player 1. The transition function is as follows: $\delta : S_1 \times A_1 \rightarrow S_2$ that given a player-1 state in S_1 and an action in A_1 gives the next state (which belongs to player 2). The set of edges is as follows: $E \subseteq (S_2 \cup S_3) \times S$. Hence in these games player 1 chooses an action, and the other players have perfect observation and choose edges. We only consider the sub-class where player 1 plays in every k -steps, for a fixed k . The observation set \mathcal{O} and observation mapping obs are again standard.

Plays and strategies. A *play* in a partial-observation stochastic game is an infinite sequence of states $s_0 s_1 s_2 \dots$ such that the following conditions hold for all $i \geq 0$: (i) if $s_i \in S_1$, then there exists $a_i \in A_1$ such that $s_{i+1} = \delta(s_i, a_i)$; and (ii) if $s_i \in (S_2 \cup S_P)$, then $(s_i, s_{i+1}) \in E$. The function obs is extended to sequences $\rho = s_0 \dots s_n$ of states in the natural way, namely $\text{obs}(\rho) = \text{obs}(s_0) \dots \text{obs}(s_n)$. A strategy for a player is a recipe to extend the prefix of a play. Formally, player-1 strategies are functions $\sigma : S^* \cdot S_1 \rightarrow A_1$; and player-2 (and analogously player-3 strategies) are functions: $\pi : S^* \cdot S_2 \rightarrow S$ such that for all $w \in S^*$ and $s \in S_2$ we have $(s, \pi(w \cdot s)) \in E$. We consider only observation-based strategies for player 1, i.e., for two play prefixes ρ and ρ' if the corresponding observation sequences match ($\text{obs}(\rho) = \text{obs}(\rho')$), then the strategy must choose the same action ($\sigma(\rho) = \sigma(\rho')$); and the other players have all strategies. The notations for three-player games are similar.

Finite-memory strategies. A player-1 strategy uses *finite-memory* if it can be encoded by a deterministic transducer $\langle M, m_0, \sigma_u, \sigma_n \rangle$ where M is a finite set (the memory of the strategy), $m_0 \in M$ is the initial memory value, $\sigma_u : M \times \mathcal{O} \rightarrow M$ is the memory-update function, and $\sigma_n : M \rightarrow A_1$ is the next-move function. The *size* of the strategy is the number $|M|$ of memory values. If the current observation is o , and the current memory value is m , then the strategy chooses the next action $\sigma_n(m)$, and the memory is updated to $\sigma_u(m, o)$. Formally, $\langle M, m_0, \sigma_u, \sigma_n \rangle$ defines the strategy σ such that $\sigma(\rho \cdot s) = \sigma_n(\hat{\sigma}_u(m_0, \text{obs}(\rho)) \cdot \text{obs}(s))$ for all $\rho \in S^*$ and $s \in S_1$, where $\hat{\sigma}_u$ extends σ_u to sequences of observations as expected. This definition extends to infinite-memory strategies by dropping the assumption that the set M is finite.

Parity objectives. An *objective* for Player 1 in G is a set $\varphi \subseteq S^\omega$ of infinite sequences of states. A play ρ *satisfies* the objective φ if $\rho \in \varphi$. For a play $\rho = s_0 s_1 \dots$ we denote by $\text{Inf}(\rho)$ the set of states that occur infinitely often in ρ , that is, $\text{Inf}(\rho) = \{s \mid s_j = s \text{ for infinitely many } j\}$. For $d \in \mathbb{N}$, let $p : S \rightarrow \{0, 1, \dots, d\}$ be a *priority function*, which maps each state to a nonnegative integer priority. The *parity objective* $\text{Parity}(p)$ requires that the minimum priority that occurs infinitely often be even. Formally, $\text{Parity}(p) = \{\rho \mid \min\{p(s) \mid s \in \text{Inf}(\rho)\} \text{ is even}\}$. Parity objectives are a canonical way to express ω -regular objectives [25].

Almost-sure winning and positive winning. An *event* is a measurable set of plays. For a partial-observation stochastic game, given strategies σ and π for the two players, the probabilities of events are uniquely defined [26]. For a parity objective $\text{Parity}(p)$, we denote by $\mathbb{P}_s^{\sigma, \pi}(\text{Parity}(p))$ the probability that $\text{Parity}(p)$ is satisfied by the play

obtained from the starting state s when the strategies σ and π are used. The *almost-sure* (resp. *positive*) winning problem under finite-memory strategies asks, given a partial-observation stochastic game, a parity objective $\text{Parity}(p)$, and a starting state s , whether there exists a finite-memory observation-based strategy σ for player 1 such that against all strategies π for player 2 we have $\mathbb{P}_s^{\sigma,\pi}(\text{Parity}(p)) = 1$ (resp. $\mathbb{P}_s^{\sigma,\pi}(\text{Parity}(p)) > 0$). The almost-sure and positive winning problems are also referred to as the qualitative-analysis problems for stochastic games.

Sure winning in three-player games. In three-player games once the starting state s and strategies σ, π , and τ of the three players are fixed we obtain a unique play, which we denote as $\rho_s^{\sigma,\pi,\tau}$. In three-player games we consider the following *sure* winning problem: given a parity objective $\text{Parity}(p)$, sure winning is ensured if there exists a finite-memory observation-based strategy σ for player 1, such that in the two-player perfect-observation game obtained after fixing σ , player 3 can ensure the parity objective against all strategies of player 2. Formally, the sure winning problem asks whether there exist a finite-memory observation-based strategy σ for player 1 and a strategy τ for player 3, such that for all strategies π for player 2 we have $\rho_s^{\sigma,\pi,\tau} \in \text{Parity}(p)$.

REMARK 1. (EQUIVALENCE WITH STANDARD MODEL) *We remark that for the model of partial-observation stochastic games studied in literature the two players simultaneously choose actions, and a probabilistic transition function determine the probability distribution of the next state. In our model, the game is turn-based and the probability distribution is chosen only in probabilistic states. However, it follows from the results of [9] that the models are equivalent: by the results of [9, Section 3.1] the interaction of the players and probability can be separated without loss of generality; and [9, Theorem 4] shows that in presence of partial observation, concurrent games can be reduced to turn-based games in polynomial time. Thus the turn-based model where the moves of the players and stochastic interaction are separated is equivalent to the standard model. Moreover, for a perfect-information player choosing an action is equivalent to choosing an edge in a turn-based game. Thus the model we consider is equivalent to the standard partial-observation game models.*

REMARK 2. (PURE AND RANDOMIZED STRATEGIES) *In this work we only consider pure strategies. In partial-observation games, randomized strategies are also relevant as they are more powerful than pure strategies. However, for finite-memory strategies the almost-sure and positive winning problem for randomized strategies can be reduced in polynomial time to the problem for finite-memory pure strategies [8, 21]. Hence without loss of generality we only consider pure strategies.*

2.2 Reduction of partial-observation stochastic games to three-player games In this section we present a polynomial-time reduction for the almost-sure winning problem in partial-observation stochastic parity games to the sure winning problem in three-player parity games.

Reduction. Let us denote by $[d]$ the set $\{0, 1, \dots, d\}$. Given a partial-observation stochastic parity game graph $G = (S_1, S_2, S_P, A_1, \delta, E, \mathcal{O}, \text{obs})$ with a parity objective defined by priority function $p : S \rightarrow [d]$ we construct a three-player game graph $\overline{G} = (\overline{S}_1, \overline{S}_2, \overline{S}_3, A_1, \overline{\delta}, \overline{E}, \mathcal{O}, \overline{\text{obs}})$ together with priority function \overline{p} . The construction is specified as follows.

1. For every nonprobabilistic state $s \in S_1 \cup S_2$, there is a corresponding state $\overline{s} \in \overline{S}$ such that
 - $\overline{s} \in \overline{S}_1$ if $s \in S_1$, else $\overline{s} \in \overline{S}_2$;
 - $\overline{p}(\overline{s}) = p(s)$ and $\overline{\text{obs}}(\overline{s}) = \text{obs}(s)$;
 - $\overline{\delta}(\overline{s}, a) = \overline{t}$ where $t = \delta(s, a)$, for $s \in S_1$ and $a \in A_1$; and
 - $(\overline{s}, \overline{t}) \in \overline{E}$ iff $(s, t) \in E$, for $s \in S_2$.
2. Every probabilistic state $s \in S_P$ is replaced by the gadget shown in Figure 1 and Figure 2. In the figure, square-shaped states are player-2 states (in \overline{S}_2), and circle-shaped (or ellipsoid-shaped) states are player-3

states (in \overline{S}_3). Formally, from the state \bar{s} with priority $p(s)$ and observation $\text{obs}(s)$ (i.e., $\overline{p}(\bar{s}) = p(s)$ and $\overline{\text{obs}}(\bar{s}) = \text{obs}(s)$) the players play the following three-step game in \overline{G} .

- First, in state \bar{s} player 2 chooses a successor $(\tilde{s}, 2k)$, for $2k \in \{0, 1, \dots, p(s) + 1\}$.
- For every state $(\tilde{s}, 2k)$, we have $\overline{p}((\tilde{s}, 2k)) = p(s)$ and $\overline{\text{obs}}((\tilde{s}, 2k)) = \text{obs}(s)$. For $k \geq 1$, in state $(\tilde{s}, 2k)$ player 3 chooses between two successors: state $(\hat{s}, 2k - 1)$ with priority $2k - 1$ and same observation as s , or state $(\hat{s}, 2k)$ with priority $2k$ and same observation as s , (i.e., $\overline{p}((\hat{s}, 2k - 1)) = 2k - 1$, $\overline{p}((\hat{s}, 2k)) = 2k$, and $\overline{\text{obs}}((\hat{s}, 2k - 1)) = \overline{\text{obs}}((\hat{s}, 2k)) = \text{obs}(s)$). The state $(\tilde{s}, 0)$ has only one successor $(\hat{s}, 0)$, with $\overline{p}((\hat{s}, 0)) = 0$ and $\overline{\text{obs}}((\hat{s}, 0)) = \text{obs}(s)$.
- Finally, in each state (\hat{s}, k) the choice is between all states \bar{t} such that $(s, t) \in E$, and it belongs to player 3 (i.e., in \overline{S}_3) if k is odd, and to player 2 (i.e., in \overline{S}_2) if k is even. Note that every state in the gadget has the same observation as the original state.

We denote by $\overline{G} = \text{Tr}_{\text{as}}(G)$ the three-player game, where player 1 has partial-observation, and both player 2 and player 3 have perfect-observation, obtained from a partial-observation stochastic game. Also observe that in \overline{G} there are exactly four steps between two player 1 moves.

Observation sequence mapping. Note that since in our partial-observation games first player 1 plays, then player 2, followed by probabilistic states, repeated ad infinitum, wlog, we can assume that for every observation $o \in \mathcal{O}$ we have either (i) $\text{obs}^{-1}(o) \subseteq S_1$; or (ii) $\text{obs}^{-1}(o) \subseteq S_2$; or (iii) $\text{obs}^{-1}(o) \subseteq S_P$. Thus we partition the observations as \mathcal{O}_1 , \mathcal{O}_2 , and \mathcal{O}_P . Given an observation sequence $\kappa = o_0 o_1 o_2 \dots o_n$ in G corresponding to a finite prefix of a play, we inductively define the sequence $\bar{\kappa} = \bar{h}(\kappa)$ in \overline{G} as follows: (i) $\bar{h}(o_0) = o_0$ if $o_0 \in \mathcal{O}_1 \cup \mathcal{O}_2$, else $o_0 o_0 o_0$; (ii) $\bar{h}(o_0 o_1 \dots o_n) = \bar{h}(o_0 o_1 \dots o_{n-1}) o_n$ if $o_n \in \mathcal{O}_1 \cup \mathcal{O}_2$, else $\bar{h}(o_0 o_1 \dots o_{n-1}) o_n o_n o_n$. Intuitively the mapping takes care of the two extra steps of the gadgets introduced for probabilistic states. The mapping is a bijection, and hence given an observation sequence $\bar{\kappa}$ of a play prefix in \overline{G} we consider the inverse play prefix $\kappa = \bar{h}^{-1}(\bar{\kappa})$ such that $\bar{h}(\kappa) = \bar{\kappa}$.

Strategy mapping. Given an observation-based strategy $\bar{\sigma}$ in \overline{G} we consider a strategy $\sigma = \text{Tr}_{\text{as}}(\bar{\sigma})$ as follows: for an observation sequence κ corresponding to a play prefix in G we have $\sigma(\kappa) = \bar{\sigma}(\bar{h}(\kappa))$. The strategy σ is observation-based (since $\bar{\sigma}$ is observation-based). The inverse mapping $\text{Tr}_{\text{as}}^{-1}$ of strategies from G to \overline{G} is analogous. Note that for σ in G we have $\text{Tr}_{\text{as}}(\text{Tr}_{\text{as}}^{-1}(\sigma)) = \sigma$. Let $\bar{\sigma}$ be a finite-memory strategy with memory M for player 1 in the game \overline{G} . The strategy $\bar{\sigma}$ can be considered as a memoryless strategy, denoted as $\bar{\sigma}^* = \text{MemLess}(\bar{\sigma})$, in $\overline{G} \times M$ (the synchronous product of \overline{G} with M). Given a strategy (pure memoryless) $\bar{\pi}$ for player 2 in the 2-player game $\overline{G} \times M$, a strategy $\pi = \text{Tr}_{\text{as}}(\bar{\pi})$ in the partial-observation stochastic game $G \times M$ is defined as follows:

$$\pi((s, m)) = (t, m'), \text{ if and only if } \bar{\pi}((\bar{s}, m)) = (\bar{t}, m'); \text{ for all } s \in S_2.$$

End component and the key property. Given an MDP, a set U is an end component in the MDP if the sub-graph induced by U is strongly connected, and for all probabilistic states in U all out-going edges end up in U (i.e., U is closed for probabilistic states). The key property about MDPs that is used in our proofs is a result established by [13, 14] that given an MDP, for all strategies, with probability 1 the set of states visited infinitely often is an end component. The key property allows us to analyze end components of MDPs and from properties of the end component conclude properties about all strategies.

The key lemma. We are now ready to present our main lemma that establishes the correctness of the reduction. Since the proof of the lemma is long we split the proof into two parts.

LEMMA 2.1. *Given a partial-observation stochastic parity game G with parity objective $\text{Parity}(p)$, let $\overline{G} = \text{Tr}_{\text{as}}(G)$ be the three-player game with the modified parity objective $\text{Parity}(\overline{p})$ obtained by our reduction.*




Figure 1: Reduction gadget when $p(s)$ is even.




Figure 2: Reduction gadget when $p(s)$ is odd.

Consider a finite-memory strategy $\bar{\sigma}$ with memory M for player 1 in \bar{G} . Let us denote by $\bar{G}_{\bar{\sigma}}$ the perfect-observation two-player game played over $\bar{G} \times M$ by player 2 and player 3 after fixing the strategy $\bar{\sigma}$ for player 1. Let

$$\bar{U}_1^{\bar{\sigma}} = \{(\bar{s}, m) \in \bar{S} \times M \mid \text{player 3 has a sure winning strategy for the objective Parity}(\bar{p}) \text{ from } (\bar{s}, m) \text{ in } \bar{G}_{\bar{\sigma}}\};$$

and let $\bar{U}_2^{\bar{\sigma}} = (\bar{S} \times M) \setminus \bar{U}_1^{\bar{\sigma}}$ be the set of sure winning states for player 2 in $\bar{G}_{\bar{\sigma}}$. Consider the strategy $\sigma = \text{Tr}_{\text{as}}(\bar{\sigma})$, and the sets $U_1^{\sigma} = \{(s, m) \in S \times M \mid (\bar{s}, m) \in \bar{U}_1^{\bar{\sigma}}\}$; and $U_2^{\sigma} = (S \times M) \setminus U_1^{\sigma}$. The following assertions hold.

1. For all $(s, m) \in U_1^{\sigma}$, for all strategies π of player 2 we have $\mathbb{P}_{(s,m)}^{\sigma, \pi}(\text{Parity}(p)) = 1$.
2. For all $(s, m) \in U_2^{\sigma}$, there exists a strategy π of player 2 such that $\mathbb{P}_{(s,m)}^{\sigma, \pi}(\text{Parity}(p)) < 1$.

We first present the proof for part 1 and then for part 2.

Proof. [(of Lemma 2.1: part 1).] Consider a finite-memory strategy $\bar{\sigma}$ for player 1 with memory M in the game \bar{G} . Once the strategy $\bar{\sigma}$ is fixed we obtain the two-player finite-state perfect-observation game $\bar{G}_{\bar{\sigma}}$ (between player 3 and the adversary player 2). Recall the sure winning sets

$$\bar{U}_1^{\bar{\sigma}} = \{(\bar{s}, m) \in \bar{S} \times M \mid \text{player 3 has a sure winning strategy for the objective Parity}(\bar{p}) \text{ from } (\bar{s}, m) \text{ in } \bar{G}_{\bar{\sigma}}\}$$

for player 3, and $\bar{U}_2^{\bar{\sigma}} = (\bar{S} \times M) \setminus \bar{U}_1^{\bar{\sigma}}$ for player 2, respectively, in $\bar{G}_{\bar{\sigma}}$. Let $\sigma = \text{Tr}_{\text{as}}(\bar{\sigma})$ be the corresponding strategy in G . We denote by $\bar{\sigma}^* = \text{MemLess}(\bar{\sigma})$ and σ^* the corresponding memoryless strategies of $\bar{\sigma}$ in $\bar{G} \times M$ and σ in $G \times M$, respectively. We show that all states in U_1^{σ} are almost-sure winning, i.e., given σ , for all $(s, m) \in U_1^{\sigma}$, for all strategies π for player 2 in G we have $\mathbb{P}_{(s,m)}^{\sigma, \pi}(\text{Parity}(p)) = 1$ (recall $U_1^{\sigma} = \{(s, m) \in S \times M \mid (\bar{s}, m) \in \bar{U}_1^{\bar{\sigma}}\}$). We also consider explicitly the MDP $(G \times M \upharpoonright U_1^{\sigma})_{\sigma^*}$ to analyze strategies of player 2 on the synchronous product, i.e., we consider the player-2 MDP obtained after fixing the memoryless strategy σ^* in $G \times M$, and then restrict the MDP to the set U_1^{σ} .

Two key components. The proof has two key components. First, we argue that all end components in the MDP restricted to U_1^{σ} are winning for player 1 (have min priority even). Second we argue that given the starting state (s, m) is in U_1^{σ} , almost-surely the set of states visited infinitely often is an end component in U_1^{σ} against all strategies of player 2. These two key components establish the desired result.

Winning end components. Our first goal is to show that every end component C in the player-2 MDP $(G \times M \upharpoonright U_1^{\sigma})_{\sigma^*}$ is winning for player 1 for the parity objective, i.e., the minimum priority of C is even. We argue that if there is an end component C in $(G \times M \upharpoonright U_1^{\sigma})_{\sigma^*}$ that is winning for player 2 for the parity objective (i.e., minimum priority of C is odd), then against any memoryless player-3 strategy $\bar{\tau}$ in $\bar{G}_{\bar{\sigma}}$, player 2 can construct a cycle in the game $(\bar{G} \times M \upharpoonright \bar{U}_1^{\bar{\sigma}})_{\bar{\sigma}^*}$ that is winning for player 2 (i.e., minimum priority of the cycle is odd) (note that given the strategy $\bar{\sigma}$ is fixed, we have finite-state perfect-observation parity games, and hence in the enlarged game we can restrict ourselves to memoryless strategies for player 3). This gives a contradiction because player 3 has a sure winning strategy from the set $\bar{U}_1^{\bar{\sigma}}$ in the 2-player parity game $\bar{G}_{\bar{\sigma}}$. Towards contradiction, let C be an end component in $(G \times M \upharpoonright U_1^{\sigma})_{\sigma^*}$ that is winning for player 2, and let its minimum odd priority be $2r - 1$, for some $r \in \mathbb{N}$. Then there is a memoryless strategy π' for player 2 in the MDP $(G \times M \upharpoonright U_1^{\sigma})_{\sigma^*}$ such that C is a bottom scc (or a terminal scc) in the Markov chain graph of $(G \times M \upharpoonright U_1^{\sigma})_{\sigma^*, \pi'}$. Let $\bar{\tau}$ be a memoryless for player 3 in $(\bar{G} \times M \upharpoonright \bar{U}_1^{\bar{\sigma}})_{\bar{\sigma}^*}$. Given $\bar{\tau}$ for player 3 and strategy π' for player 2 in $G \times M$, we construct a strategy $\bar{\pi}$ for player 2 in the game $(\bar{G} \times M \upharpoonright \bar{U}_1^{\bar{\sigma}})_{\bar{\sigma}^*}$ as follows. For a player-2 state in C , the strategy $\bar{\pi}$ follows the strategy π' , i.e., for a state $(s, m) \in C$ with $s \in S_2$ we have $\bar{\pi}((\bar{s}, m)) = (\bar{t}, m')$ where $(t, m') = \pi'((s, m))$. For a probabilistic state in C we define the strategy as follows (i.e., we now consider a state $(s, m) \in C$ with $s \in S_P$):

- if for some successor state $((\tilde{s}, 2\ell), m')$ of (\bar{s}, m) , the player-3 strategy $\bar{\pi}$ chooses a successor $((\hat{s}, 2\ell - 1), m'') \in C$ at the state $((\tilde{s}, 2\ell), m')$, for $\ell < r$, then the strategy $\bar{\pi}$ chooses at state (\bar{s}, m) the successor $((\tilde{s}, 2\ell), m')$; and
- otherwise the strategy $\bar{\pi}$ chooses at state (\bar{s}, m) the successor $((\tilde{s}, 2r), m')$, and at $((\hat{s}, 2r), m'')$ it chooses a successor shortening the distance (i.e., chooses a successor with smaller breadth-first-search distance) to a fixed state (\bar{s}^*, m^*) of priority $2r - 1$ of C (such a state (s^*, m^*) exists in C since C is strongly connected and has minimum priority $2r - 1$); and for the fixed state of priority $2r - 1$ the strategy chooses a successor (\bar{s}, m') such that $(s, m') \in C$.

Consider an arbitrary cycle in the subgraph $(\bar{G} \times M \upharpoonright \bar{C})_{\bar{\sigma}, \bar{\pi}, \bar{\tau}}$ where \bar{C} is the set of states in the gadgets of states in C . There are two cases.

- If there is at least one state $((\hat{s}, 2\ell - 1), m)$, with $\ell \leq r$ on the cycle, then the minimum priority on the cycle is odd, as even priorities smaller than $2r$ are not visited by the construction as C does not contain states of even priorities smaller than $2r$.
- Otherwise, in all states choices shortening the distance to the state with priority $2r - 1$ are taken and hence the cycle must contain a priority $2r - 1$ state and all other priorities on the cycle are $\geq 2r - 1$, so $2r - 1$ is the minimum priority on the cycle.

Hence a winning end component for player 2 in the MDP contradicts that player 3 has a sure winning strategy in $\bar{G}_{\bar{\sigma}}$ from $\bar{U}_1^{\bar{\sigma}}$. Thus it follows that all end components are winning for player 1 in $(G \times M \upharpoonright U_1^{\sigma})_{\sigma^*}$.

Almost-sure reachability to winning end-components. Finally, we consider the probability of staying in U_1^{σ} . For every probabilistic state $(s, m) \in (S_P \times M) \cap U_1^{\sigma}$, all of its successors must be in U_1^{σ} . Otherwise, player 2 in the state (\bar{s}, m) of the game $\bar{G}_{\bar{\sigma}}$ can choose the successor $(\tilde{s}, 0)$ and then a successor to its winning set $\bar{U}_2^{\bar{\sigma}}$. This again contradicts the assumption that (\bar{s}, m) belong to the sure winning states $\bar{U}_1^{\bar{\sigma}}$ for player 3 in $\bar{G}_{\bar{\sigma}}$. Similarly, for every state $(s, m) \in (S_2 \times M) \cap U_1^{\sigma}$ we must have all its successors are in U_1^{σ} . For all states $(s, m) \in (S_1 \times M) \cap U_1^{\sigma}$, the strategy σ chooses a successor in U_1^{σ} . Hence for all strategies π of player 2, for all states $(s, m) \in U_1^{\sigma}$, the objective $\text{Safe}(U_1^{\sigma})$ (which requires that only states in U_1^{σ} are visited) is ensured almost-surely (in fact surely), and hence with probability 1 the set of states visited infinitely often is an end component in U_1^{σ} (by key property of MDPs). Since every end component in $(G \times M \upharpoonright U_1^{\sigma})_{\sigma^*}$ has even minimum priority, it follows that the strategy σ is an almost-sure winning strategy for the parity objective $\text{Parity}(p)$ for player 1 from all states $(s, m) \in U_1^{\sigma}$. This concludes the proof for first part of the lemma. \blacksquare

We now present the proof for the second part.

Proof. [(of Lemma 2.1:part 2).] Consider a memoryless sure winning strategy $\bar{\pi}$ for player 2 in $\bar{G}_{\bar{\sigma}}$ from the set $\bar{U}_2^{\bar{\sigma}}$. Let us consider the strategies $\sigma = \text{Tr}_{\text{as}}(\bar{\sigma})$ and $\pi = \text{Tr}_{\text{as}}(\bar{\pi})$, and consider the Markov chain $G_{\sigma, \pi}$. Our proof shows the following two properties to establish the claim: (1) in the Markov chain $G_{\sigma, \pi}$ all bottom sccs (the recurrent classes) in U_2^{σ} have odd minimum priority; and (2) from all states in U_2^{σ} some recurrent class in U_2^{σ} is reached with positive probability. This establishes the desired result of the lemma.

No winning bottom scc for player 1 in U_2^{σ} . Assume towards contradiction that there is a bottom scc C contained in U_2^{σ} in the Markov chain $G_{\sigma, \pi}$ such that the minimum priority in C is even. From C we construct a winning cycle (minimum priority is even) in $\bar{U}_2^{\bar{\sigma}}$ for player 3 in the game $\bar{G}_{\bar{\sigma}}$ given the strategy $\bar{\pi}$. This contradicts that $\bar{\pi}$ is a sure winning strategy for player 2 from $\bar{U}_2^{\bar{\sigma}}$ in $\bar{G}_{\bar{\sigma}}$. Let the minimum priority of C be $2r$ for some $r \in \mathbb{N}$. The idea is similar to the construction of part 1. Given C , and the strategies $\bar{\sigma}$ and $\bar{\pi}$, we construct a strategy $\bar{\tau}$ for player 3 in \bar{G} as follows: For a probabilistic state (s, m) in C :

- if $\bar{\pi}$ chooses a state $((\tilde{s}, 2\ell - 2), m')$, with $\ell \leq r$, then $\bar{\tau}$ chooses the successor $((\hat{s}, 2\ell - 2), m')$;
- otherwise $\ell > r$ (i.e., $\bar{\pi}$ chooses a state $((\tilde{s}, 2\ell - 2), m')$ for $\ell > r$), then $\bar{\tau}$ chooses the state $((\hat{s}, 2\ell - 1), m')$, and then a successor to shorten the distance to a fixed state with priority $2r$ (such a state exists in C); and for the fixed state of priority $2r$, the strategy $\bar{\tau}$ chooses a successor in C .

Similar to the proof of part 1, we argue that we obtain a cycle with minimum even priority in the graph $(\bar{G} \times M \upharpoonright \bar{U}_2^\sigma)_{\bar{\sigma}, \bar{\pi}, \bar{\tau}}$. Consider an arbitrary cycle in the subgraph $(\bar{G} \times M \upharpoonright \bar{C})_{\bar{\sigma}, \bar{\pi}, \bar{\tau}}$ where \bar{C} is the set of states in the gadgets of states in C . There are two cases.

- If there is at least one state $((\hat{s}, 2\ell - 2), m)$, with $\ell \leq r$ on the cycle, then the minimum priority on the cycle is even, as odd priorities strictly smaller than $2r + 1$ are not visited by the construction as C does not contain states of odd priorities strictly smaller than $2r + 1$.
- Otherwise, in all states choices shortening the distance to the state with priority $2r$ are taken and hence the cycle must contain a priority $2r$ state and all other priorities on the cycle are $\geq 2r$, so $2r$ is the minimum priority on the cycle.

Thus we obtain cycles winning for player 3, and this contradicts that $\bar{\pi}$ is a sure winning strategy for player 2 from \bar{U}_2^σ . Thus it follows that all recurrent classes in U_2^σ in the Markov chain $G_{\sigma, \pi}$ are winning for player 2.

Not almost-sure reachability to U_1^σ . We now argue that given σ and π there exists no state in U_2^σ such that U_1^σ is reached almost-surely. This would ensure that from all states in U_2^σ some recurrent class in U_2^σ is reached with positive probability and establish the desired claim since we have already shown that all recurrent classes in U_2^σ are winning for player 2. Given σ and π , let $X \subseteq U_2^\sigma$ be the set of states such that the set U_1^σ is reached almost-surely from X , and assume towards contradiction that X is non-empty. This implies that from every state in X , in the Markov chain $G_{\sigma, \pi}$, there is a path to the set U_1^σ , and from all states in X the successors are in X . We construct a strategy $\bar{\tau}$ in the three-player game \bar{G}_σ against strategy $\bar{\pi}$ exactly as the strategy constructed for winning bottom scc, with the following difference: instead of shortening distance to a fixed state of priority $2r$ (as for winning bottom scc's), in this case the strategy $\bar{\tau}$ shortens distance to \bar{U}_1^σ . Formally, given X , the strategies $\bar{\sigma}$ and $\bar{\pi}$, we construct a strategy $\bar{\tau}$ for player 3 in \bar{G} as follows: For a probabilistic state (s, m) in X :

- if $\bar{\pi}$ chooses a state $((\tilde{s}, 2\ell), m')$, with $\ell \geq 1$, then $\bar{\tau}$ chooses the state $((\hat{s}, 2\ell - 1), m')$, and then a successor to shorten the distance to the set \bar{U}_1^σ (such a successor exists since from all states in X the set \bar{U}_1^σ is reachable).

Against the strategy of player 3 in \bar{G}_σ either (i) \bar{U}_1^σ is reached in finitely many steps, or (ii) else player 2 infinitely often chooses successor states of the form $(\tilde{s}, 0)$ with priority 0 (the minimum even priority), i.e., there is a cycle with a state $(\tilde{s}, 0)$ which has priority 0. If priority 0 is visited infinitely often, then the parity objective is satisfied. This ensures that in \bar{G}_σ player 3 can ensure either to reach \bar{U}_1^σ in finitely many steps from some state in \bar{U}_2^σ against $\bar{\pi}$, or the parity objective is satisfied without reaching \bar{U}_1^σ . In either case this implies that against $\bar{\pi}$ player 3 can ensure to satisfy the parity objective (by reaching \bar{U}_1^σ in finitely many steps and then playing a sure winning strategy from \bar{U}_1^σ , or satisfying the parity objective without reaching \bar{U}_1^σ by visiting priority 0 infinitely often) from some state in \bar{U}_2^σ , contradicting that $\bar{\pi}$ is a sure winning strategy for player 2 from \bar{U}_2^σ . Thus we have a contradiction, and obtain the desired result. ■

Lemma 2.1 establishes the desired correctness result as follows: (1) If $\bar{\sigma}$ is a finite-memory strategy such that in \bar{G}_σ player 3 has a sure winning strategy, then by part 1 of Lemma 2.1 we obtain that $\sigma = \text{Tr}_{\text{as}}(\bar{\sigma})$ is almost-sure winning. (2) Conversely, if σ is a finite-memory almost-sure winning strategy, then consider a strategy $\bar{\sigma}$ such

that $\sigma = \text{Tr}_{\text{as}}(\bar{\sigma})$ (i.e., $\bar{\sigma} = \text{Tr}_{\text{as}}^{-1}(\sigma)$). By part 2 of Lemma 2.1, given the finite-memory strategy $\bar{\sigma}$, player 3 must have a sure winning strategy in $\bar{G}_{\bar{\sigma}}$, otherwise we have a contradiction that σ is almost-sure winning. Thus we have the following theorem.

THEOREM 2.1. (POLYNOMIAL REDUCTION) *Given a partial-observation stochastic game graph G with a parity objective $\text{Parity}(p)$ for player 1, we construct a three-player game $\bar{G} = \text{Tr}_{\text{as}}(G)$ with a parity objective $\text{Parity}(\bar{p})$, where player 1 has partial-observation and the other two players have perfect-observation, in time $O((n + m) \cdot d)$, where n is the number of states of the game, m is the number of transitions, and d the number of priorities of the priority function p , such that the following assertion holds: there is a finite-memory almost-sure winning strategy σ for player 1 in G iff there exists a finite-memory strategy $\bar{\sigma}$ for player 1 in \bar{G} such that in the game $\bar{G}_{\bar{\sigma}}$ obtained given $\bar{\sigma}$, player 3 has a sure winning strategy for $\text{Parity}(\bar{p})$. The game graph $\text{Tr}_{\text{as}}(G)$ has $O(n \cdot d)$ states, $O(m \cdot d)$ transitions, and \bar{p} has at most $d + 1$ priorities.*

REMARK 3. (POSITIVE WINNING) *We have presented the details of the polynomial reduction for almost-sure winning, and now we discuss how a very similar reduction works for positive winning. We explain the key steps, and omit the proof as it is very similar to our proof for almost-sure winning. For clarity in presentation we use a priority -1 in the reduction, which is the least odd priority, and visiting the priority -1 infinitely often ensures loosing for player 1. Note that all priorities can be increased by 2 to ensure that priorities are nonnegative, but we use the priority -1 as it keeps the changes in the reduction for positive winning minimal as compared to almost-sure winning.*

Key steps. *First we observe that in the reduction gadgets for almost-sure winning, player 2 would never choose the leftmost edge to state $(\bar{s}, 0)$ from \bar{s} in the cycles formed, but only use them for reachability to cycles. Intuitively, the leftmost edge corresponds to edges which must be chosen only finitely often and ensures positive reachability to the desired end components in the stochastic game. For positive winning these edges need to be in control of player 3, but must be allowed to be taken only finitely often. Thus for positive winning, the gadget is modified as follows: (i) we omit the leftmost edge from the state \bar{s} ; (ii) we add an additional player-3 state \hat{s} in the beginning, which has an edge to \bar{s} and an edge to $(\hat{s}, 0)$; and (iii) the state $(\hat{s}, 0)$ is assigned priority -1 . Figure 3 presents a pictorial illustration of the gadget of the reduction for positive winning. Note that in the reduction for positive winning the finite reachability through the leftmost edge is in control of player-3, but it has the worst odd priority and must be used only finitely often. This essentially corresponds to reaching winning end components in finitely many steps in the stochastic game. In the game obtained after the reduction, the three-player game is surely winning iff player 1 has a finite-memory positive winning strategy in the partial-observation stochastic game.*

In this section we established polynomial reductions of the qualitative-analysis problems for partial-observation stochastic parity games under finite-memory strategies to the sure winning problem in three-player games (player 1 partial, both the other players perfect, and player 1 and 3 existential, player 2 adversarial). The following section shows that the sure winning problem for three-player games is EXPTIME-complete by reduction to alternating parity tree automata.

3 Solving Sure Winning for Three-player Parity Games

In this section we present the solution for sure winning in three-player non-stochastic parity games. We start with the basic definitions.

3.1 Basic definitions We first present a model of partial-observation concurrent three-player games, where player 1 has partial observation, and player 2 and player 3 have perfect observation. Player 1 and player 3 have the same objective and they play against player 2. We also show that three-player turn-based games model (of Section 2) can be treated as a special case of this model.




Figure 3: Reduction gadget for positive winning when $p(s)$ is even.

Partial-observation three-player concurrent games. Given alphabets A_i of actions for player i ($i = 1, 2, 3$), a partial-observation three-player concurrent game (for brevity, *three-player game* in sequel) is a tuple $G = \langle S, s_0, \delta, \mathcal{O}, \text{obs} \rangle$ where:

- S is a finite set of states;
- $s_0 \in S$ is the initial state;
- $\delta : S \times A_1 \times A_2 \times A_3 \rightarrow S$ is a deterministic transition function that, given a current state s , and actions $a_1 \in A_1, a_2 \in A_2, a_3 \in A_3$ of the players, gives the successor state $s' = \delta(s, a_1, a_2, a_3)$ of s ; and
- \mathcal{O} is a finite set of observations and obs is the observation mapping (as in Section 2).

Modeling turn-based games. A three-player turn-based game is a special case of the model three-player concurrent games. Formally, we consider a three-player turn-based game as a tuple $\langle S_1, S_2, S_3, A_1, \delta, E \rangle$ where $\delta : S_1 \times A_1 \rightarrow S_2$ is the transition function for player 1, and $E \subseteq (S_2 \cup S_3) \times S$ is a set of edges. Since player 2 and player 3 have perfect observation, we consider that $A_2 = S$ and $A_3 = S$, that is player 2 and player 3 choose directly a successor in the game. The transition function $\bar{\delta}$ for an equivalent concurrent version is as follows (i) for $s \in S_1$, for all $a_2 \in A_2$ and $a_3 \in A_3$, we have $\bar{\delta}(s, a_1, a_2, a_3) = \delta(s, a_1)$; (ii) for $s \in S_2$, for all $a_1 \in A_1$ and $a_3 \in A_3$, for $a_2 = s'$ we have $\bar{\delta}(s, a_1, a_2, a_3) = s'$ if $(s, s') \in E$, else $\bar{\delta}(s, a_1, a_2, a_3) = s_{\text{good}}$, where s_{good} is a special state in which player 2 loses (the objective of player 1 and 3 is satisfied if player 2 chooses an edge that is not in E); and (iii) for $s \in S_3$, for all $a_1 \in A_1$ and $a_2 \in A_2$, for $a_3 = s'$ we have $\bar{\delta}(s, a_1, a_2, a_3) = s'$ if $(s, s') \in E$, else $\bar{\delta}(s, a_1, a_2, a_3) = s_{\text{bad}}$, where s_{bad} is a special state in which player 2 wins (the objective of player 1 and 3 is violated if player 3 chooses an edge that is not in E). The set \mathcal{O} and the mapping obs are obvious.

Strategies. Define the set Σ of *strategies* $\sigma : \mathcal{O}^+ \rightarrow A_1$ of player 1 that, given a sequence of past observations, return an action for player 1. Equivalently, we sometimes view a strategy of player 1 as a function $\sigma : S^+ \rightarrow A_1$ satisfying $\sigma(\rho) = \sigma(\rho')$ for all $\rho, \rho' \in S^+$ such that $\text{obs}(\rho) = \text{obs}(\rho')$, and say that σ is *observation-based*. A strategy of player 2 (resp, player 3) is a function $\pi : S^+ \rightarrow A_2$ (resp., $\tau : S^+ \rightarrow A_3$) without any restriction. We denote by Π and Γ the set of strategies of player 2 and player 3, respectively.

Sure winning. Given strategies σ, π, τ of the three players in G , the *outcome play* from s_0 is the infinite sequence $\rho_{s_0}^{\sigma, \pi, \tau} = s_0 s_1 \dots$ such that for all $j \geq 0$, we have $s_{j+1} = \delta(s_j, a_j, b_j, c_j)$ where $a_j = \sigma(s_0 \dots s_j)$, $b_j = \pi(s_0 \dots s_j)$, and $c_j = \tau(s_0 \dots s_j)$. Given a game $G = \langle S, s_0, \delta, \mathcal{O}, \text{obs} \rangle$ and a parity objective $\varphi \subseteq S^\omega$, the sure winning problem asks to decide if $\exists \sigma \in \Sigma \cdot \exists \tau \in \Gamma \cdot \forall \pi \in \Pi : \rho_{s_0}^{\sigma, \pi, \tau} \in \varphi$. It will follow from our result that if the answer to the sure winning problem is yes, then there exists a witness finite-memory strategy σ for player 1.

3.2 Alternating Tree Automata In this section we recall the definitions of alternating tree automata, and present the solution of the sure winning problem for three-player games with parity objectives by a reduction to the emptiness problem of alternating tree automata with parity acceptance condition.

Trees. Given an alphabet Ω , an Ω -labeled tree (T, V) consists of a prefix-closed set $T \subseteq \mathbb{N}^*$ (i.e., if $x \cdot d \in T$ with $x \in \mathbb{N}^*$ and $d \in \mathbb{N}$, then $x \in T$), and a mapping $V : T \rightarrow \Omega$ that assigns to each node of T a letter in Ω . Given $x \in \mathbb{N}^*$ and $d \in \mathbb{N}$ such that $x \cdot d \in T$, we call $x \cdot d$ the *successor* in direction d of x . The node ε is the *root* of the tree. An *infinite path* in T is an infinite sequence $\pi = d_1 d_2 \dots$ of directions $d_i \in \mathbb{N}$ such that every finite prefix of π is a node in T .

Alternating tree automata. Given a parameter $k \in \mathbb{N} \setminus \{0\}$, we consider input trees of rank k , i.e. trees in which every node has at most k successors. Let $[k] = \{0, \dots, k-1\}$, and given a finite set U , let $\mathcal{B}^+(U)$ be the set of positive Boolean formulas over U , i.e. formulas built from elements in $U \cup \{\text{true}, \text{false}\}$ using the Boolean connectives \wedge and \vee . An *alternating tree automaton* over alphabet Ω is a tuple $\mathcal{A} = \langle S, s_0, \delta \rangle$ where:

- S is a finite set of states;
- $s_0 \in S$ is the initial state;
- $\delta : S \times \Omega \rightarrow \mathcal{B}^+(S \times [k])$ is a transition function.

Intuitively, the automaton is executed from the initial state s_0 and reads the input tree in a top-down fashion starting from the root ε . In state s , if $a \in \Omega$ is the letter that labels the current node x of the input tree, the behavior of the automaton is given by the formulas $\psi = \delta(s, a)$. The automaton chooses a *satisfying assignment* of ψ , i.e. a set $Q \subseteq S \times [k]$ such that the formula ψ is satisfied when the elements of Q are replaced by true, and the elements of $(S \times [k]) \setminus Q$ are replaced by false. Then, for each $\langle s_1, d_1 \rangle \in Q$ a copy of the automaton is spawned in state s_1 , and proceeds to the node $x \cdot d_1$ of the input tree. In particular, it requires that $x \cdot d_1$ belongs to the input tree. For example, if $\delta(s, a) = (\langle s_1, 0 \rangle \wedge \langle s_2, 0 \rangle) \vee (\langle s_3, 0 \rangle \wedge \langle s_4, 1 \rangle \wedge \langle s_5, 1 \rangle)$, then the automaton should either spawn two copies that process the successor of x in direction 0 (i.e., the node $x \cdot 0$) and that enter the respective states s_1 and s_2 , or spawn three copies of which one processes $x \cdot 0$ and enters state s_3 , and the other two process $x \cdot 1$ and enter the states s_4 and s_5 respectively.

Runs. A run of \mathcal{A} over an Ω -labeled input tree (T, V) is a tree (T_r, r) labeled by elements of $T \times S$, where a node of T_r labeled by (x, s) corresponds to a copy of the automaton proceeding the node x of the input tree in state s . Formally, a *run* of \mathcal{A} over an input tree (T, V) is a $(T \times S)$ -labeled tree (T_r, r) such that $r(\varepsilon) = (\varepsilon, s_0)$ and for all $y \in T_r$, if $r(y) = (x, s)$, then the set $\{\langle s', d' \rangle \mid \exists d \in \mathbb{N} : r(y \cdot d) = (x \cdot d', s')\}$ is a satisfying assignment for $\delta(s, V(x))$. Hence we require that, given a node y in T_r labeled by (x, s) , there is a satisfying assignment $Q \subseteq S \times [k]$ for the formula $\delta(s, a)$ where $a = V(x)$ is the letter labeling the current node x of the input tree, and for all states $\langle s', d' \rangle \in Q$ there is a (successor) node $y \cdot d$ in T_r labeled by $(x \cdot d', s')$.

Given an accepting condition $\varphi \subseteq S^\omega$, we say that a run (T_r, r) is *accepting* if for all infinite paths $d_1 d_2 \dots$ of T_r , the sequence $s_1 s_2 \dots$ such that $r(d_i) = (\cdot, s_i)$ for all $i \geq 0$ is in φ . The *language* of \mathcal{A} is the set $L_k(\mathcal{A})$ of all input trees of rank k over which there exists an accepting run of \mathcal{A} . The emptiness problem for alternating tree automata is to decide, given \mathcal{A} and parameter k , whether $L_k(\mathcal{A}) = \emptyset$.

3.3 Solution of the Sure Winning Problem for Three-player Games We now present the solution of the sure winning problem for three-player games.

THEOREM 3.1. *Given a three-player game $G = \langle S, s_0, \delta, \mathcal{O}, \text{obs} \rangle$ and a $\{\text{safety, reachability, parity}\}$ objective φ , the problem of deciding whether*

$$\exists \sigma \in \Sigma \cdot \exists \tau \in \Gamma \cdot \forall \pi \in \Pi : \rho_{s_0}^{\sigma, \pi, \tau} \in \varphi$$

is EXPTIME-complete.

Proof. The EXPTIME-hardness follows from EXPTIME-hardness of two-player partial-observation games with reachability objective [24, 11] and safety objective [4].

We prove membership in EXPTIME by a reduction to the emptiness problem for alternating tree automata, which is solvable in EXPTIME for parity objectives [18, 19, 20]. The reduction is as follows. Given a game $G = \langle S, s_0, \delta, \mathcal{O}, \text{obs} \rangle$ over alphabet of actions A_i ($i = 1, 2, 3$), we construct the alternating tree automaton $\mathcal{A} = \langle S', s'_0, \delta' \rangle$ over alphabet Ω and parameter $k = |\mathcal{O}|$ (we assume that $\mathcal{O} = [k]$) where:

- $S' = S$, and $s'_0 = s_0$;
- $\Omega = A_1$;
- δ' is defined by $\delta'(s, a_1) = \bigvee_{a_3 \in A_3} \bigwedge_{a_2 \in A_2} \langle \delta(s, a_1, a_2, a_3), \text{obs}(\delta(s, a_1, a_2, a_3)) \rangle$ for all $s \in S$ and $a_1 \in \Omega$.

The acceptance condition φ of the automaton is the same as the objective of the game G . We prove that $\exists \sigma \in \Sigma \cdot \exists \tau \in \Gamma \cdot \forall \pi \in \Pi : \rho_{s_0}^{\sigma, \pi, \tau} \in \varphi$ if and only if $L_k(\mathcal{A}) \neq \emptyset$. We use the following notation. Given a node $y = d_1 d_2 \dots d_n$ in a $(T \times S)$ -labeled tree (T_r, r) , consider the prefixes $y_0 = \varepsilon$, and $y_i = d_1 d_2 \dots d_i$ (for $i = 1, \dots, n$). Let $\bar{r}_2(y) = s_0 s_1 \dots s_n$ where $r(y_i) = (\cdot, s_i)$ for $0 \leq i \leq n$, denote the corresponding state sequence of y .

1. *Sure winning implies non-emptiness.* First, assume that for some $\sigma \in \Sigma$ and $\tau \in \Gamma$, we have $\forall \pi \in \Pi : \rho_{s_0}^{\sigma, \pi, \tau} \in \varphi$. From σ , we define an input tree (T, V) where $T = [k]^*$ and $V(\gamma) = \sigma(\text{obs}(s_0) \cdot \gamma)$ for all $\gamma \in T$ (we view σ as a function $[k]^+ \rightarrow \Omega$, since $[k] = \mathcal{O}$ and $\Omega = A_1$). From τ , we define a $(T \times S)$ -labeled tree (T_r, r) such that $r(\varepsilon) = (\varepsilon, s_0)$ and for all $y \in T_r$, if $r(y) = (x, s)$ and $\bar{r}_2(y) = \rho$, then for $a_1 = \sigma(\text{obs}(s_0) \cdot x) = V(x)$, for $a_3 = \tau(s_0 \cdot \rho)$, for every s' in the set $Q = \{s' \mid \exists a_2 \in A_2 : s' = \delta(s, a_1, a_2, a_3)\}$, there is a successor $y \cdot d$ of y in T_r labeled by $r(y \cdot d) = (x \cdot \text{obs}(s'), s')$. Note that $\{\langle s', \text{obs}(s') \rangle \mid s' \in Q\}$ is a satisfying assignment for $\delta'(s, a_1)$ and $a_1 = V(x)$, hence (T_r, r) is a run of \mathcal{A} over (T, V) . For every infinite path ρ in (T_r, r) , consider a strategy $\pi \in \Pi$ consistent with ρ . Then $\rho = \rho_{s_0}^{\sigma, \pi, \tau}$, hence $\rho \in \varphi$ and the run (T_r, r) is accepting, showing that $L_k(\mathcal{A}) \neq \emptyset$.
2. *Non-emptiness implies sure winning.* Second, assume that $L_k(\mathcal{A}) \neq \emptyset$. Let $(T, V) \in L_k(\mathcal{A})$ and (T_r, r) be an accepting run of \mathcal{A} over (T, V) . From (T, V) , define a strategy σ of player 1 such that $\sigma(s_0 \cdot \rho) = V(\text{obs}(\rho))$ for all $\rho \in S^*$. Note that σ is indeed observation-based. From (T_r, r) , we know that for all nodes $y \in T_r$ with $r(y) = (x, s)$ and $\bar{r}_2(y) = \rho$, the set $Q = \{\langle s', d' \rangle \mid \exists d \in \mathbb{N} : r(y \cdot d) = (x \cdot d', s')\}$

is a satisfying assignment of $\delta'(s, V(x))$, hence there exists $a_3 \in A_3$ such that for all $a_2 \in A_2$, there is a successor of y labeled by $(x \cdot \text{obs}(s'), s')$ with $s' = \delta(s, a_1, a_2, a_3)$ and $a_1 = \sigma(s_0 \cdot \rho)$. Then define $\tau(s_0 \cdot \rho) = a_3$. Now, for all strategies $\pi \in \Pi$ the outcome $\rho_{s_0}^{\sigma, \pi, \tau}$ is a path in (T_r, r) , and hence $\rho_{s_0}^{\sigma, \pi, \tau} \in \varphi$. Therefore $\exists \sigma \in \Sigma \cdot \exists \tau \in \Gamma \cdot \forall \pi \in \Pi : \rho_{s_0}^{\sigma, \pi, \tau} \in \varphi$.

The desired result follows. ■

The nonemptiness problem for an alternating tree automaton \mathcal{A} with parity condition can be solved by constructing an equivalent nondeterministic parity tree automaton \mathcal{N} (such that $L_k(\mathcal{A}) = L_k(\mathcal{N})$), and then checking emptiness of \mathcal{N} . The construction proceeds as follows [20]. The nondeterministic automaton \mathcal{N} guess a labeling of the input tree with a memoryless strategy for the alternating automaton \mathcal{A} . As \mathcal{A} has n states and k directions, there are (k^n) possible strategies. A nondeterministic parity word automaton with n states and d priorities can check that the strategy works along every branch of the tree. An equivalent deterministic parity word automaton can be constructed with (n^n) states and $O(d \cdot n)$ priorities [5]. Thus, \mathcal{N} can guess the strategy labeling and check the strategies with $O((k \cdot n)^n)$ states and $O(d \cdot n)$ priorities. The nonemptiness of \mathcal{N} can then be checked by considering it as a (two-player perfect-information deterministic) parity game with $O((k \cdot n)^n)$ states and $O(d \cdot n)$ priorities [16]. This games can be solved in time $O((k \cdot n)^{d \cdot n^2})$ [15]. Moreover, since memoryless strategies exist for parity games [15], if the nondeterministic parity tree automaton is nonempty, then it accepts a regular tree that can be encoded by a transducer with $((k \cdot n)^n)$ states. Thus, the nonemptiness problem for alternating tree automaton with parity condition can be decided in exponential time, and there exists a transducer to witness nonemptiness that has exponentially many states.

THEOREM 3.2. *Given a three-player game $G = \langle S, s_0, \delta, \mathcal{O}, \text{obs} \rangle$ with n states (and $k \leq n$ observations for player 1) and parity objective φ defined by d priorities, the problem of deciding whether*

$$\exists \sigma \in \Sigma \cdot \exists \tau \in \Gamma \cdot \forall \pi \in \Pi : \rho_{s_0}^{\sigma, \pi, \tau} \in \varphi$$

can be solved in time exponential time. Moreover, memory of exponential size is sufficient for player 1.

REMARK 4. *By our reduction to alternating parity tree automata and the fact that if an alternating parity tree automaton is non-empty, there is a regular witness tree for non-emptiness it follows that strategies for player 1 can be restricted to finite-memory without loss of generality. This ensures that we can solve the problem of the existence of finite-memory almost-sure winning (resp. positive winning) strategies in partial-observation stochastic parity games (by Theorem 2.1 of Section 2) also in EXPTIME, and EXPTIME-completeness of the problem follows since the problem is EXPTIME-hard even for reachability objectives for almost-sure winning [11] and safety objectives for positive winning [10].*

THEOREM 3.3. *Given a partial-observation stochastic game and a parity objective φ defined by d priorities, the problem of deciding whether there exists a finite-memory almost-sure (resp. positive) winning strategy for player 1 is EXPTIME-complete. Moreover, if there is an almost-sure (resp. positive) winning strategy, then there exists one that uses memory of at most exponential size.*

REMARK 5. *As mentioned in Remark 2 the EXPTIME upper bound for qualitative analysis of partial-observation stochastic parity games with finite-memory randomized strategies follows from Theorem 3.3. The EXPTIME lower bound and the exponential lower bound on memory requirement for finite-memory randomized strategies follows from the results of [11, 10] for reachability and safety objectives (even for POMDPs).*

References

- [1] R. Alur, T. A. Henzinger, and O. Kupferman. Alternating-time temporal logic. *JACM*, 49:672–713, 2002.
- [2] C. Baier, N. Bertrand, and M. Größer. On decision problems for probabilistic Büchi automata. In *Proc. of FoSSaCS*, LNCS 4962, pages 287–301. Springer, 2008.
- [3] N. Bertrand, B. Genest, and H. Gimbert. Qualitative determinacy and decidability of stochastic games with signals. In *Proc. of LICS*, pages 319–328, 2009.
- [4] D. Berwanger and L. Doyen. On the power of imperfect information. In *Proc. of FSTTCS*, Dagstuhl Seminar Proceedings 08004. IBFI, 2008.
- [5] Y. Cai and T. Zhang. Determinization complexities of ω automata. 2013. Technical report (available at: <http://theory.stanford.edu/tingz/tcs.pdf>).
- [6] K. Chatterjee. *Stochastic ω -regular Games*. PhD thesis, University of California, Berkeley, 2007.
- [7] K. Chatterjee, M. Chmelik, and M. Tracol. What is decidable about partially observable Markov decision processes with omega-regular objectives. In *Proc. of CSL*, 2013.
- [8] K. Chatterjee and L. Doyen. Partial-observation stochastic games: How to win when belief fails. In *Proc. of LICS*, pages 175–184. IEEE Computer Society Press, 2012.
- [9] K. Chatterjee, L. Doyen, H. Gimbert, and T. A. Henzinger. Randomness for free. In *CoRR abs/1006.0673 (Full version)*, 2010. Conference version Proc. of MFCS, Springer, LNCS 6281, pages 246–257.
- [10] K. Chatterjee, L. Doyen, and T. A. Henzinger. Qualitative analysis of partially-observable Markov decision processes. In *Proc. of MFCS*, LNCS 6281, pages 258–269. Springer, 2010.
- [11] K. Chatterjee, L. Doyen, T. A. Henzinger, and J.-F. Raskin. Algorithms for omega-regular games of incomplete information. *Logical Methods in Computer Science*, 3(3:4), 2007.
- [12] K. Chatterjee, M. Jurdziński, and T. A. Henzinger. Simple stochastic parity games. In *CSL'03*, volume 2803 of LNCS, pages 100–113. Springer, 2003.
- [13] C. Courcoubetis and M. Yannakakis. The complexity of probabilistic verification. *JACM*, 42(4):857–907, 1995.
- [14] L. de Alfaro. *Formal Verification of Probabilistic Systems*. PhD thesis, Stanford University, 1997. Technical Report STAN-CS-TR-98-1601.
- [15] E. A. Emerson and C. Jutla. Tree automata, mu-calculus and determinacy. In *Proc. of FOCS*, pages 368–377. IEEE, 1991.
- [16] Y. Gurevich and L. Harrington. Trees, automata, and games. In *Proc. of STOC*, pages 60–65. ACM, 1982.
- [17] R. McNaughton. Infinite games played on finite graphs. *Annals of Pure and Applied Logic*, 65:149–184, 1993.
- [18] D. E. Muller, A. Saoudi, and P. E. Schupp. Alternating automata. the weak monadic theory of the tree, and its complexity. In *Proc. of ICALP*, LNCS 226, pages 275–283. Springer, 1986.
- [19] D. E. Muller and P. E. Schupp. Alternating automata on infinite trees. *TCS*, 54:267–276, 1987.
- [20] D. E. Muller and P. E. Schupp. Simulating alternating tree automata by nondeterministic automata: New results and new proofs of the theorems of Rabin, McNaughton and Safra. *TCS*, 141(1&2):69–107, 1995.
- [21] S. Nain and M. Y. Vardi. Solving partial-information stochastic parity games. In *LICS*, pages 341–348, 2013.
- [22] A. Paz. *Introduction to probabilistic automata*. Academic Press, Inc. Orlando, FL, USA, 1971.
- [23] A. Pnueli and R. Rosner. On the synthesis of a reactive module. In *Proc. of POPL*, pages 179–190. ACM Press, 1989.
- [24] J. H. Reif. The complexity of two-player games of incomplete information. *JCSS*, 29:274–301, 1984.
- [25] W. Thomas. Languages, automata, and logic. In *Handbook of Formal Languages*, volume 3, Beyond Words, chapter 7, pages 389–455. Springer, 1997.
- [26] M. Y. Vardi. Automatic verification of probabilistic concurrent finite-state systems. In *Proc. of FOCS*, pages 327–338, 1985.